

Country: Sweden
Testing date: 2016/9/18



Registered Name: Dwylch Tigris Balica

Nickname: Nuuka

Registration ID: ER34998/16

Breed: Border Collie

Gender: Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: No

### Test results - Known disorders in the breed

Disorder	Туре	Mode of Inheritance	Result
Intestinal Cobalamin Malabsorption or Imerslund-Gräsbeck Syndrome, (IGS); mutation originally found in Border Collie	Metabolic Disorders	Autosomal Recessive	Carrier
Dental Hypomineralisation; mutation originally found in Border Collie	Other Disorders	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 5, (NCL5); mutation originally found in Border Collie	Neurological Disorders	Autosomal Recessive	Clear
Trapped Neutrophil Syndrome, (TNS)	Blood Disorders	Autosomal Recessive	Clear

### Test results - New potential disorders in the breed

Disorder	Туре	Mode of Inheritance	Result
Myotonia Congenita; mutation originally found in Australian Cattle Dog	Muscular Disorders	Autosomal Recessive	Clear
Von Willebrand's Disease (WVD) Type 2; German Pointer marker test	Blood Disorders	Autosomal Recessive	Clear

On behalf of Genoscoper Laboratories,

SIGNATURE





Registered Name: Dwylch Tigris Balica Owner: Marjo Saukkoriipi

Nickname: Nuuka

Registration ID: ER34998/16

Breed: Border Collie

Gender: Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: No

## Test results for pharmacogenetics

Disorder	Mode of Inheritance	Result
Multi-Drug Resistance 1, (MDR1)	Autosomal Dominant	Clear

Country: Sweden
Testing date: 2016/9/18

On behalf of Genoscoper Laboratories,

SIGNATURE





Registered Name: Dwylch Tigris Balica Owner: Marjo Saukkoriipi

Nickname: Nuuka Country: Sweden

Registration ID: ER34998/16 Testing date: 2016/9/18

Breed: Border Collie

Gender: Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: No

## Test results - Traits - page 1

#### **Coat Type**

Trait	Genotype	Description
Coat Length	1/1	The dog is genetically long-haired.
Furnishings / Improper Coat in Portuguese Water Dogs (marker test)	GG/CC	The dog is not genetically likely to express furnishings.
Curly coat	C/C	The dog is genetically non-curly.

On behalf of Genoscoper Laboratories,

SIGNATURE



Country: Sweden
Testing date: 2016/9/18



Registered Name: Dwylch Tigris Balica

Nickname: Nuuka

Registration ID: ER34998/16

Breed: Border Collie

Gender: Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: No

## Test results - Traits - page 2

#### **Coat Colour**

Trait	Genotype	Description
Colour Locus E - Extensions	Em/E	The dog is likely to have a dark mask.
Colour Locus B - Brown	B/bs    bs/bd	The dog has at least one copy of the b alleles causing brown colour.
Colour Locus K - Dominant Black	KB/ky    kbr/ky    kbr/kbr	The dog is genetically dominant black or brindle.
Colour Locus A - Agouti	aw/at	The dog is genetically wolf gray. The dog carries tan points or saddle tan pattern.
Colour Locus S - Piebald or extreme white spotting	S/S	The dog is likely to have solid coat colour with minimal white.
Colour Locus H - Harlequin	h/h	The dog doesn't have harlequin pattern.
Colour locus M - Merle	m/m	This dog is genetically non-merle.
Colour Locus C - Albinism (caL-allele)	C/C	This dog does not carry the tested mutation for albinism.
Colour Pattern (RALY gene) - Saddle Tan	-/dup	The dog may have saddle tan pattern if it has also tan point genotype at the A locus.

On behalf of Genoscoper Laboratories,

SIGNATURE



Country: Sweden
Testing date: 2016/9/18



Registered Name: Dwylch Tigris Balica

Nickname: Nuuka

Registration ID: ER34998/16

Breed: Border Collie

Gender: Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: No

## Test results - Traits - page 3

### **Body Size**

Trait	Genotype	Description
Chondrodysplasia; breed- defining trait	D/D	The dog is homozygous for the ancient allele. The dog is likely to have legs of normal length.
Tiny size, insulin-like growth factor 1 receptor (IGF1R) gene variant	G/G	The dog carries two ancestral alleles typically found in larger-sized breeds.
Body mass, insulin-like growth factor 1 (IGF1) gene variant	A/G	The dog is heterozygous for the ancestral allele. This means that it carries one copy of the genetic allele typically associated with small body mass and one copy typically associated with large body mass.
Body size, STC2 gene variant chr4:39182836	A/T	The dog carries one copy of the allele associated with reduced body size and one copy of the allele associated with no size reduction.
Body size, GHR1 gene variant E191K	A/G	The dog carries one ancestral allele and one derived allele.
Body size, GHR2 gene variant P177L	C/C	The dog has two copies of the ancestral allele associated with larger body size.
Body size, HMGA2 gene variant	G/G	The dog has two copies of the ancestral allele associated with larger body size.

On behalf of Genoscoper Laboratories,

SIGNATURE



Country: Sweden **Testing date:** 2016/9/18



Registered Name: Dwylch Tigris Balica

Nickname: Nuuka

Registration ID: ER34998/16

Breed: Border Collie

Gender: Female

Dog's identity verified from microchip or tattoo by veterinarian or other authorised person during sample taking: No

## Test results - Traits - page 4

#### Morphology

Trait	Genotype	Description
Ear erectness (pricked ears versus floppy ears), variant chr10:11072007	T/T	The dog is homozygous and carries two copies of a genetic variant typically associated with pricked ears. This genotype is common in breeds like Finnish Spitz, German Shepherd, Samoyed, Terriers and in Collie-related breeds.
Bobtail	C/C	The dog does not carry any copy of the bobtail mutation. It therefore likely has a long-tailed phenotype.
Snout/skull length (shortened head versus elongated head), bone morphogenetic protein 3 (BMP3) gene variant	C/C	Your dog is homozygous for the genetic variant typically found in breeds with an elongated head (e.g. Saluki, Collie, Irish Wolfhound).

On behalf of Genoscoper Laboratories,



### **Blood Disorders**

Disorder	Mode of Inheritance	Result
Bleeding disorder due to P2RY12 defect	Autosomal Recessive	Clear
Canine Cyclic Neutropenia, Cyclic Hematopoiesis, Grey Collie Syndrome, (CN)	Autosomal Recessive	Clear
Canine Leukocyte Adhesion Deficiency (CLAD), type III	Autosomal Recessive	Clear
Canine Scott Syndrome, (CSS)	Autosomal Recessive	Clear
Factor IX Deficiency or Hemophilia B (4 mutations)	X-linked Recessive	Clear
Factor VII Deficiency	Autosomal Recessive	Clear
Factor VIII Deficiency or Hemophilia A (3 mutations)	X-linked Recessive	Clear
Factor XI Deficiency	Autosomal Recessive	Clear
Glanzmann Thrombasthenia Type I, (GT); mutation originally found in Pyrenean Mountain Dog	Autosomal Recessive	Clear
Hereditary Elliptocytosis		Clear
Hereditary Phosphofructokinase (PFK) Deficiency	Autosomal Recessive	Clear
Macrothrombocytopenia; disease-linked variant originally found in Norfolk and Cairn Terrier	Autosomal Recessive	Clear
May-Hegglin Anomaly (MHA)	Autosomal Dominant	Clear
Prekallikrein Deficiency	Autosomal Recessive	Clear
Pyruvate Kinase Deficiency (4 mutations)	Autosomal Recessive	Clear
Thrombopathia (3 mutations)	Autosomal Recessive	Clear
Von Willebrand's Disease (WD) Type 1	Autosomal Recessive	Clear
Von Willebrand's Disease (WVD) Type 3 (3 mutations)	Autosomal Recessive	Clear



### Ocular Disorders - page 1

Disorder	Mode of Inheritance	Result
Canine Multifocal Retinopathy 1, (CMR1); Mastiff-related breeds mutation	Autosomal Recessive	Clear
Canine Multifocal Retinopathy 2, (CMR2); mutation originally found in Coton de Tulear	Autosomal Recessive	Clear
Canine Multifocal Retinopathy 3, (CMR3); mutation originally found in Lapponian Herder	Autosomal Recessive	Clear
Cone Degeneration, (CD) or Achromatopsia (3 mutations)	Autosomal Recessive	Clear
Cone-Rod Dystrophy 1, (crd1); mutation originally found in American Staffordshire Terrier	Autosomal Recessive	Clear
Cone-Rod Dystrophy 2, (crd2); mutation originally found in American Pit Bull Terrier	Autosomal Recessive	Clear
Cone-Rod Dystrophy, (cord1-PRA / crd4)	Autosomal Recessive (Incomplete Penetrance)	Clear
Cone-Rod Dystrophy, Standard Wirehaired Dachshund, (crd SWD)	Autosomal Recessive	Clear
Congenital Stationary Night Blindness (CSNB)	Autosomal Recessive	Clear
Dominant Progressive Retinal Atrophy, (DPRA)	Autosomal Dominant	Clear
Generalized Progressive Retinal Atrophy	Autosomal Recessive	Clear
Golden Retriever Progressive Retinal Atrophy 1, (GR_PRA 1)	Autosomal Recessive	Clear
Primary Hereditary Cataract (PHC); mutation originally found in Australian Shepherd	Autosomal Dominant (Incomplete Penetrance)	Clear
Primary Lens Luxation, (PLL)	Autosomal Recessive	Clear
Primary Open Angle Glaucoma, (POAG); mutation originally found in Beagle	Autosomal Recessive	Clear
Primary Open Angle Glaucoma, (POAG); mutation originally found in Norwegian Elkhound	Autosomal Recessive	Clear
Progressive Retinal Atrophy Type III, (PRA type III); mutation originally found in Tibetan Spaniel and Tibetan Terrier	Autosomal Recessive	Clear
Progressive Retinal Atrophy, (CNGA1-PRA); mutation originally found in Shetland Sheepdog	Autosomal Recessive	Clear
Progressive Retinal Atrophy, (PAP1_PRA); mutation originally found in Papillon and Phalene	Autosomal Recessive	Clear
Progressive Retinal Atrophy, (PRA); mutation originally found in Basenji	Autosomal Recessive	Clear
Rod-Cone Dysplasia 1, (rcd1) and Rod-Cone Dysplasia 1a, (rdc1a) (2 mutations)	Autosomal Recessive	Clear



### Ocular Disorders - page 2

Disorder	Mode of Inheritance	Result
Rod-Cone Dysplasia 3, (rcd3)	Autosomal Recessive	Clear
X-Linked Progressive Retinal Atrophy 1, (XLPRA1)	X-linked Recessive	Clear
X-Linked Progressive Retinal Atrophy 2, (XLPRA2)	X-linked Recessive	Clear

#### **Cardiac Disorders**

Disorder	Mode of Inheritance	Result
Long QT Syndrome	Autosomal Dominant	Clear

#### **Endocrine Disorders**

Disorder	Mode of Inheritance	Result
Congenital Hypothyroidism (2 mutations)	Autosomal Recessive	Clear

### **Immunological Disorders**

Disorder	Mode of Inheritance	Result
Autosomal Recessive Severe Combined Immunodeficiency, (ARSCID)	Autosomal Recessive	Clear
Complement 3 (C3) Deficiency	Autosomal Recessive	Clear
Myeloperoxidase Deficiency		Clear
Severe Combined Immunodeficiency in Frisian Water Dogs, (SCID)	Autosomal Recessive	Clear
X-linked Severe Combined Immunodeficiency (XSCID) (2 mutations)	X-linked Recessive	Clear



#### **Renal Disorders**

Disorder	Mode of Inheritance	Result
Cystinuria Type I-A; mutation originally found in Newfoundland Dog	Autosomal Recessive	Clear
Cystinuria Type II-A; mutation originally found in Australian Cattle Dog	Autosomal Dominant	Clear
Cystinuria, Type II-B; mutation originally found in Miniature Pinscher	Autosomal Dominant	Clear
Familial Nephropathy (FN) (2 mutations)	Autosomal Recessive	Clear
Fanconi Syndrome	Autosomal Recessive	Clear
Hyperuricosuria, (HUU)	Autosomal Recessive	Clear
Polycystic Kidney Disease in Bull Terriers, (BTPKD)	Autosomal Dominant	Clear
Primary Hyperoxaluria, (PH); mutation originally found in Coton de Tulear	Autosomal Recessive	Clear
Protein Losing Nephropathy, (PLN); NPHS1 gene variant		Clear
Renal Cystadenocarcinoma and Nodular Dermatofibrosis, (RCND)	Autosomal Dominant	Clear
X-Linked Hereditary Nephropathy, (XLHN) (2 mutations)	X-linked Recessive	Clear



#### **Metabolic Disorders**

Disorder	Mode of Inheritance	Result
Glycogen Storage Disease Type II or Pompe's Disease, (GSD II)	Autosomal Recessive	Clear
Glycogen Storage Disease Type Illa, (GSD Illa)	Autosomal Recessive	Clear
Glycogen Storage Disease Type Ia, (GSD Ia)	Autosomal Recessive	Clear
Hypocatalasia or Acatalasemia	Autosomal Recessive	Clear
Intestinal Cobalamin Malabsorption or Imerslund-Gräsbeck Syndrome, (IGS); mutation originally found in Beagle	Autosomal Recessive	Clear
Mucopolysaccharidosis Type IIIA, (MPS IIIA) (2 mutations)	Autosomal Recessive	Clear
Mucopolysaccharidosis Type VII, (MPS VII) (2 mutations)	Autosomal Recessive	Clear
Pyruvate Dehydrogenase Phosphatase 1 (PDP1) Deficiency	Autosomal Recessive	Clear

#### **Muscular Disorders**

Disorder	Mode of Inheritance	Result
Cavalier King Charles Spaniel Muscular Dystrophy, (CKCS-MD)	X-linked Recessive	Clear
Centronuclear Myopathy, (CNM) (2 mutations)	Autosomal Recessive	Clear
Duchenne or Dystrophin Muscular Dystrophy, (DMD); mutation originally found in Golden Retriever	X-linked Recessive	Clear
Duchenne or Dystrophin Muscular Dystrophy, (DMD); mutation originally found in Norfolk Terrier	X-linked Recessive	Clear
Muscular Dystrophy, Ullrich-type; mutation originally found in Landseer	Autosomal Recessive	Clear
Muscular Hypertrophy (Double Muscling)	Autosomal Recessive	Clear
Myotonia Congenita; mutation originally found in Miniature Schnauzer	Autosomal Recessive	Clear
X-Linked Myotubular Myopathy (2 mutations)	X-linked Recessive	Clear



## Neurological Disorders - page 1

Bandera's Neonatal Ataxia, (BNAt)  Benign Familial Juvenile Epilepsy or Remitting Focal Epilepsy  Autosomal Recessive  Clear  Dandy-Walker-Like Malformation (DWLM); mutation originally found in Eurasier  Cerebral Dysfunction; mutation originally found in Friesian Stabyhoun  Autosomal Recessive  Clear  Cerebral Dysfunction; mutation originally found in Friesian Stabyhoun  Autosomal Recessive  Clear  Clear  Carly-Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive  Clear  Clear  Carly-Onset Progressive Polyneuropathy; mutation originally found in Carly-Onset Progressive Polyneuropathy; mutation originally found in Carly-Onset Progressive Polyneuropathy; mutation originally found in Cretal Onset Neuroaxonal Dystrophy, (FNAD)  Autosomal Recessive  Clear  Clear  Clear Carly-Onset Progressive Polyneuropathy; mutation originally found in Old Cretal Onset Neuroaxonal Dystrophy, (FNAD)  Autosomal Recessive  Clear  Clear  Clear  Clear  Clear  Clear  Clyporeyelination; mutation originally found in Weimaraner  Autosomal Recessive  Clear	Disorder	Mode of Inheritance	Result
Benign Familial Juvenile Epilepsy or Remitting Focal Epilepsy Autosomal Recessive Clear Dandy-Walker-Like Malformation (DWLM); mutation originally found in Eurasier  Cerebral Dysfunction; mutation originally found in Friesian Stabyhoun Autosomal Recessive Clear Early-Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive Clear Alaskan Malamute  Early-Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive Clear Greyhound  Fetal Onset Neuroaxonal Dystrophy, (FNAD) Autosomal Recessive Clear Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old Autosomal Recessive Clear English Sheepdog and Gordon Setter Hyperekplexia or Startle Disease Autosomal Recessive Clear Hypomyelination; mutation originally found in Weimaraner Autosomal Recessive Clear Exafortishire Bull Terrier  Lagotto Storage Disease, (LSD) Autosomal Recessive Clear Staffortshire Bull Terrier  Lagotto Storage Disease, (LSD) Autosomal Recessive Clear Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, Autosomal Recessive Clear Neonatal Encephalopathy with Seizures, (NEWS) Autosomal Recessive Clear Neonatal Dystrophy (NAD); mutation originally found in Spanish Water Doog Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Autosomal Recessive Clear Neuroaxonal Dystrophy (NAD); mutation originally found in Autosomal Recessive Clear Clear Dachshund Ceroid Lipofuscinosis 12, (NCL10); mutation originally found in Autosomal Recessive Clear Clear Clear Dachshund Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive Clear Clea	Alaskan Husky Encephalopathy, (AHE)	Autosomal Recessive	Clear
Dandy-Walker-Like Malformation (DWLM); mutation originally found in Eurasier  Cerebral Dysfunction; mutation originally found in Friesian Stabyhoun Autosomal Recessive Clear Early-Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive Clear Claskan Malamute  Early-Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive Clear Greyhound  Fetal Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive Clear Greyhound  Fetal Onset Neuroaxonal Dystrophy, (FNAD) Autosomal Recessive Clear Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old Autosomal Recessive Clear English Sheepdog and Gordon Setter  Hyperekplexia or Startle Disease Autosomal Recessive Clear Hypomyelination; mutation originally found in Weimaraner Autosomal Recessive Clear L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in Autosomal Recessive Clear Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD) Autosomal Recessive Clear Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD)  Neonatal Encephalopathy with Seizures, (NEWS) Autosomal Recessive Clear Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Occasive Clear Dachshund  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Autosomal Recessive Clear American Bulldog  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive Clear American Bulldog  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive Clear Cle	Bandera's Neonatal Ataxia, (BNAt)	Autosomal Recessive	Clear
Eurasier  Cerebral Dysfunction; mutation originally found in Friesian Stabyhoun  Autosomal Recessive  Clear  Early-Onset Progressive Polyneuropathy; mutation originally found in Alaskan Malamute  Clear  Alaskan Malamute  Clear  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Greyhound  Fetal Onset Neuroaxonal Dystrophy, (FNAD)  Autosomal Recessive  Clear  Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old  English Sheepdog and Gordon Setter  Hyperekplexia or Startle Disease  Autosomal Recessive  Clear  Hypomyelination; mutation originally found in Weimaraner  L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in  Autosomal Recessive  Clear  Lagotto Storage Disease, (LSD)  Autosomal Recessive  Clear  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy,  (NCCD)  Neonatal Encephalopathy with Seizures, (NEWS)  Autosomal Recessive  Clear  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water  Doc)  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in  Autosomal Recessive  Clear  Clear  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in  Autosomal Recessive  Clear  C	Benign Familial Juvenile Epilepsy or Remitting Focal Epilepsy	Autosomal Recessive	Clear
Early-Onset Progressive Polyneuropathy; mutation originally found in Alaskan Malamute  Early-Onset Progressive Polyneuropathy; mutation originally found in Autosomal Recessive  Clear  Greyhound  Clear  Greyhound  Clear  Fetal Onset Neuroaxonal Dystrophy, (FNAD)  Autosomal Recessive  Clear  Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old  English Sheepdog and Gordon Setter  Hyperekplexia or Startle Disease  Autosomal Recessive  Clear  Hypomyelination; mutation originally found in Weimaraner  Autosomal Recessive  Clear  Clear  Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD)  Autosomal Recessive  Clear  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy,  Neonatal Encephalopathy with Seizures, (NEWS)  Autosomal Recessive  Clear  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water  Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in  Autosomal Recessive  Clear  Clear  Clear  Clear  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Clear  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Clear  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Autosomal Recessive  Clear  Clea	Dandy-Walker-Like Malformation (DWLM); mutation originally found in Eurasier	Autosomal Recessive	Clear
Alaskan Malamute  Early-Onset Progressive Polyneuropathy; mutation originally found in Greyhound  Fetal Onset Neuroaxonal Dystrophy, (FNAD)  Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old  Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old  Hereditary Ataxia or Startle Disease  Hyperekplexia or Startle Disease  Hypomyelination; mutation originally found in Weimaraner  Hypomyelination; mutation originally found in Weimaraner  Lagotto Storage Disease, (LSD)  Autosomal Recessive  Clear  Clear  Clear  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy,  Neonatal Encephalopathy with Seizures, (NEWS)  Neonatal Encephalopathy with Seizures, (NEWS)  Autosomal Recessive  Clear  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water  Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Cl	Cerebral Dysfunction; mutation originally found in Friesian Stabyhoun	Autosomal Recessive	Clear
Fetal Onset Neuroaxonal Dystrophy, (FNAD)  Autosomal Recessive  Clear  Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old  English Sheepdog and Gordon Setter  Hyperekplexia or Startle Disease  Autosomal Recessive  Clear  Hypomyelination; mutation originally found in Weimaraner  Autosomal Recessive  Clear  L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in  Autosomal Recessive  Clear  Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD)  Autosomal Recessive  Clear  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD)  Neonatal Encephalopathy with Seizures, (NEWS)  Autosomal Recessive  Clear  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 14, (NCL12); mutation originally found in  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 14, (NCL12); mutation originally found in  Autosomal Recessive  Clear  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in  Autosomal Recessive  Clear  Clear  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in  Autosomal Recessive  Clear	Early-Onset Progressive Polyneuropathy; mutation originally found in Alaskan Malamute	Autosomal Recessive	Clear
Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old  Autosomal Recessive  Clear  Hyperekplexia or Startle Disease  Hypomyelination; mutation originally found in Weimaraner  Autosomal Recessive  Clear  L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in  Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD)  Autosomal Recessive  Clear  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy,  Neonatal Encephalopathy with Seizures, (NEWS)  Autosomal Recessive  Clear  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water  Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in  Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in  Autosomal Recessive  Clear  Clear  Clear  Clear  Autosomal Recessive  Clear	Early-Onset Progressive Polyneuropathy; mutation originally found in Greyhound	Autosomal Recessive	Clear
English Sheepdog and Gordon Setter  Hyperekplexia or Startle Disease Autosomal Recessive Clear  Hypomyelination; mutation originally found in Weimaraner Autosomal Recessive Clear  L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD) Autosomal Recessive Clear  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, Autosomal Recessive Clear  Neonatal Encephalopathy with Seizures, (NEWS) Autosomal Recessive Clear  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Autosomal Recessive Clear  Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive Clear  American Bulldog  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive Clear  Clear Clear Clear  Clear	Fetal Onset Neuroaxonal Dystrophy, (FNAD)	Autosomal Recessive	Clear
Hypomyelination; mutation originally found in Weimaraner Autosomal Recessive Clear L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in Staffordshire Bull Terrier Lagotto Storage Disease, (LSD) Autosomal Recessive Clear Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD) Neonatal Encephalopathy with Seizures, (NEWS) Autosomal Recessive Clear Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Dachshund Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive Clear	Hereditary Ataxia or Cerebellar Ataxia; mutation originally found in Old English Sheepdog and Gordon Setter	Autosomal Recessive	Clear
L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD)  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, Autosomal Recessive  Clear (NCCD)  Neonatal Encephalopathy with Seizures, (NEWS)  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive  Clear Clear Dachshund  Neuronal Ceroid Lipofuscinosis 14, (NCL12); mutation originally found in Autosomal Recessive  Clear Cle	Hyperekplexia or Startle Disease	Autosomal Recessive	Clear
Staffordshire Bull Terrier  Lagotto Storage Disease, (LSD)  Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD)  Neonatal Encephalopathy with Seizures, (NEWS)  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Tibetan Terrier  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive  Clear Dachshund  Autosomal Recessive  Clear Dachshund  Autosomal Recessive  Clear Dachshund  Autosomal Recessive  Clear Dachshund  Clear Dachshund  Clear Dachshund  Clear Dachshund  Autosomal Recessive  Clear Dachshund  Clear Dachshund  Clear Dachshund  Clear Dachshund  Clear Dachshund  Clear Dachshund  Autosomal Recessive  Clear Dachshund  C	Hypomyelination; mutation originally found in Weimaraner	Autosomal Recessive	Clear
Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD)  Neonatal Encephalopathy with Seizures, (NEWS)  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Dear Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Degree De	L-2-Hydroxyglutaric aciduria, (L2HGA); mutation originally found in Staffordshire Bull Terrier	Autosomal Recessive	Clear
Neonatal Encephalopathy with Seizures, (NEWS)  Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog  Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear Dachshund  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Tibetan Terrier  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive  Clear Characteristics  Clear Cha	Lagotto Storage Disease, (LSD)	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Autosomal Recessive Clear  Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive Clear  American Bulldog  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive Clear  Tibetan Terrier  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive Clear  American Staffordshire Terrier	Neonatal Cerebellar Cortical Degeneration or Cerebellar Abiotrophy, (NCCD)	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive  Clear American Bulldog  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive  Clear	Neonatal Encephalopathy with Seizures, (NEWS)	Autosomal Recessive	Clear
Dachshund  Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in Autosomal Recessive Clear American Bulldog  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Tibetan Terrier  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive Clear American Staffordshire Terrier	Neuroaxonal Dystrophy (NAD); mutation originally found in Spanish Water Dog	Autosomal Recessive	Clear
American Bulldog  Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Autosomal Recessive Clear Tibetan Terrier  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive Clear American Staffordshire Terrier	Neuronal Ceroid Lipofuscinosis 1, (NCL1); mutation originally found in Dachshund	Autosomal Recessive	Clear
Tibetan Terrier  Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in Autosomal Recessive Clear  American Staffordshire Terrier	Neuronal Ceroid Lipofuscinosis 10, (NCL10); mutation originally found in American Bulldog	Autosomal Recessive	Clear
American Staffordshire Terrier	Neuronal Ceroid Lipofuscinosis 12, (NCL12); mutation originally found in Tibetan Terrier	Autosomal Recessive	Clear
Neuronal Ceroid Lipofuscinosis 8, (NCL8) (2 mutations)  Autosomal Recessive  Clear	Neuronal Ceroid Lipofuscinosis 4A, (NCL4); mutation originally found in American Staffordshire Terrier	Autosomal Recessive	Clear
	Neuronal Ceroid Lipofuscinosis 8, (NCL8) (2 mutations)	Autosomal Recessive	Clear



### **Neurological Disorders - page 2**

Disorder	Mode of Inheritance	Result
Neuronal Ceroid Lipofuscinosis, (NCL7); mutation originally found in Chinese Crested Dog and Chihuahua	Autosomal Recessive	Clear
Progressive Early-Onset Cerebellar Ataxia; mutation originally found in Finnish Hound	Autosomal Recessive	Clear
Spinal Dysraphism	Autosomal Recessive	Clear
Spinocerebellar Ataxia with Myokymia and/or Seizures (SCA)	Autosomal Recessive	Clear
Spinocerebellar Ataxia/ Late-Onset Ataxia (SCA, LOA)	Autosomal Recessive	Clear
X-Linked Tremors; mutation originally found in English Springer Spaniel	X-linked Recessive	Clear

#### **Neuromuscular Disorders**

Disorder	Mode of Inheritance	Result
Congenital Myasthenic Syndrome, (CMS); mutation originally found in Jack Russell Terrier	Autosomal Recessive	Clear
Congenital Myasthenic Syndrome (CMS); mutation originally found in Labrador Retriever	Autosomal Recessive	Clear
Congenital Myasthenic Syndrome, (CMS); mutation originally found in Old Danish Pointing Dog	Autosomal Recessive	Clear
GM1 Gangliosidosis (3 mutations)	Autosomal Recessive	Clear
GM2 Gangliosidosis, mutation originally found in Japanese Chin	Autosomal Recessive	Clear
GM2 Gangliosidosis; mutation originally found in Toy Poodle	Autosomal Recessive	Clear
Globoid Cell Leukodystrophy or Krabbe Disease, (GLD); mutation originally found in Terriers	Autosomal Recessive	Clear
Globoid Cell Leukodystrophy or Krabbe Disease, (GLD); mutation originally found in Irish Setter	Autosomal Recessive	Clear



### **Skeletal Disorders**

Disorder	Mode of Inheritance	Result
Chondrodysplasia; mutation originally found in Norwegian Elkhound and Karelian Bear Dog	Autosomal Recessive	Clear
Cleft Palate; Cleft Lip and Palate with Syndactyly; ADAMTS20 gene mutation originally found in Nova Scotia Duck Tolling Retriever	Autosomal Recessive	Clear
Cleft Palate; DLX6 gene mutation originally found in Nova Scotia Duck Tolling Retriever	Autosomal Recessive	Clear
Craniomandibular Osteopathy, (CMO); mutation associated with terrier breeds	Autosomal Dominant (Incomplete Penetrance)	Clear
Hereditary Vitamin D-Resistant Rickets, (HVDRR)	Autosomal Recessive	Clear
Oculoskeletal Dysplasia 2 or Dwarfism-Retinal Dysplasia 2, (OSD2)	Autosomal Recessive	Clear
Osteochondrodysplasia; mutation originally found in Miniature Poodle	Autosomal Recessive	Clear
Osteogenesis Imperfecta, (OI); mutation originally found in Beagle		Clear
Osteogenesis Imperfecta, (OI); mutation originally found in Dachshund	Autosomal Recessive	Clear
Skeletal Dysplasia 2, (SD2)	Autosomal Recessive	Clear
Spondylocostal Dysostosis	Autosomal Recessive	Clear
Van den Ende-Gupta Syndrome, (VDEGS)	Autosomal Recessive	Clear



#### **Dermal Disorders**

Disorder	Mode of Inheritance	Result
Dystrophic Epidermolysis Bullosa; mutation originally found in Golden Retriever	Autosomal Recessive	Clear
Dystrophic Epidermolysis Bullosa; mutation originally found in Central Asian Ovcharka	Autosomal Recessive	Clear
Epidermolytic Hyperkeratosis	Autosomal Recessive	Clear
Focal Non-Epidermolytic Palmoplantar Keratoderma, (FNEPPK); mutation originally found in Dogue de Bordeaux		Clear
Hereditary Footpad Hyperkeratosis, (HFH)	Autosomal Recessive	Clear
Golden Retriever Ichthyosis	Autosomal Recessive	Clear
Ichthyosis; mutation originally found in Great Dane	Autosomal Recessive	Clear
Lamellar lchthyosis, (LI)	Autosomal Recessive	Clear
Ligneous Membranitis	Autosomal Recessive	Clear
Musladin-Lueke syndrome, (MLS)	Autosomal Recessive	Clear
X-Linked Ectodermal Dysplasia, (XHED)	X-linked Recessive	Clear

## **Pharmacogenetics**

Disorder	Mode of Inheritance	Result
Malignant Hyperthermia (MH)	Autosomal Dominant	Clear



### **Other Disorders**

Disorder	Mode of Inheritance	Result
Amelogenesis Imperfecta, (AI)	Autosomal Recessive	Clear
Congenital Keratoconjunctivitis Sicca and Ichthyosiform Dermatosis, (CKCSID)	Autosomal Recessive	Clear
Narcolepsy (3 mutations)	Autosomal Recessive	Clear
Persistent Müllerian Duct Syndrome, (PMDS); mutation originally found in Miniature Schnauzer	Autosomal Recessive	Clear
Primary Ciliary Dyskinesia, (PCD)	Autosomal Recessive	Clear



# APPENDIX Explanation of the results of the tested disorders

Autosomal recessive inheritance (ARI)

Clear - A dog carries no copies of the tested mutation and has no or reduced likelihood of developing and passing on the disease/condition.

Carrier - A dog carries one copy of the tested mutation. Carriers typically have a normal, healthy appearance but pass on the mutation to approximately 50% of their offspring.

At risk - A dog carries two copies of the tested mutation and is at high or increased risk of developing the disease/condition.

Autosomal dominant inheritance (ADI)

Clear - A dog carries no copies of the tested mutation and has no or reduced likelihood of developing and passing on the disease/condition.

At risk - A dog carries one or two copies of the tested mutation and is at high or increased risk of developing the disease/condition.

X-linked recessive inheritance (X-linked)

Clear - A dog carries no copies of the tested mutation and has no or reduced likelihood of developing and passing on the disease/condition.

Carrier - Female carriers typically have a normal, healthy appearance but carry one copy of the tested mutation on one of their X chromosomes. As males only have one X chromosome, there are no male carriers.

At risk - Female dogs at risk carry two mutated copies of the tested mutation. Males carry one copy of the tested mutation on their single X chromosome. Dogs at risk are at high or increased risk of developing the disease/condition.

Please note that the descriptions above are generalized based on typically observed inheritance patterns. When obtaining a 'carrier' or 'at risk' test result, always refer to the corresponding online test documentation for more detailed information on the condition and any exceptions.

### Genoscoper Laboratories - Legal Notice

Genoscoper Laboratories' services and test results are produced based on samples and materials supplied by the Client. Testing and analysis is performed by using methods and processes that Genoscoper Laboratories deems appropriate. Genoscoper Laboratories reserves the right to make changes in the collection of the single-gene tests included in the testing service as well as to remove results derived from them, if new information comes available that in any way questions the validity of the test results. Results provided by Genoscoper Laboratories are prepared solely for the use of the Client. For further information, please visit: <a href="https://www.mydogdna.com/legal-notices">www.mydogdna.com/legal-notices</a>